

### **LISTING OF THE CLAIMS**

1. (currently amended) A method for producing nitric oxide comprising:  
producing nitric oxide by using an ionic exchange resin,  
wherein the ionic exchange resin is an anionic exchange resin.
2. (cancelled)
3. (currently amended) The method of ~~claim 2~~ claim 1, wherein the anionic exchange resin has a counter ion selected from the group consisting of ascorbate, nitrite, a weak-acid anion, lactate, and a diazeniumdiolate-containing composition.
4. (currently amended) A method for producing nitric oxide comprising:  
producing nitric oxide by using an ionic exchange resin ~~The method of claim~~  
4,  
wherein the ionic exchange resin is a cationic exchange resin and wherein the  
cationic exchange resin has a hydrogen-atom counter ion.
5. (cancelled)
6. (original) The method of claim 1, wherein the ionic exchange resin is in a gel or cream.
7. (currently amended) A method for producing nitric oxide comprising the  
step:  
mixing a salt with a cream, gel, or combination thereof to produce nitric  
oxide,  
wherein the cream or gel has an ionic exchange resin therein.

Application Number: 10/565,573  
Amendment Dated: January 11, 2010  
Office Action Dated: July 9, 2009

8. (original) The method of claim 7, wherein the salt is sodium chloride, sodium phosphate, or sodium acetate.

9. (original) The method of claim 7, wherein the cream or gel is an ion-free hydrogel, an off-white-oil-in-water vanishing cream, or a combination thereof.

10. (cancelled)

11. (original) The method of claim 10, wherein the ionic exchange resin is an anionic exchange resin.

12. (original) The method of claim 11, wherein the anionic exchange resin has a counter ion selected from the group consisting of ascorbate, nitrite, a weak acid anion, lactate, and a diazeniumdiolate-containing composition.

13. (currently amended) The method of ~~claim 10~~ claim 7, wherein the ionic exchange resin is an a cationic exchange resin.

14. (original) The method of claim 13, wherein the cationic exchange resin has a hydrogen atom counter ion.

15. (original) The method of claim 12, further comprising reacting a hydrogen-atom cation with the ascorbate to produce ascorbic acid.

16. (original) The method of claim 12, further comprising reacting ascorbic acid with the nitrite to form nitric oxide.

17. (original) The method of claim 12, further comprising reacting a hydrogen cation with the diazeniumdiolate-containing composition to produce nitric oxide.

Application Number: 10/565,573  
Amendment Dated: January 11, 2010  
Office Action Dated: July 9, 2009

18. (currently amended) A method for producing nitric oxide comprising the step:

producing nitric oxide by adding a ~~Ph~~ pH adjuster to a nanofiber having a diazeniumdiolate functional group.

19. (original) The method of claim 18, wherein the nanofiber is a linear polyethylenimine fiber.

20. (original) The method of claim 18, wherein the nanofiber is an electrospun nanofiber.

21. (currently amended) The method of claim 18, wherein the ~~Ph~~ pH adjuster is phosphate, lactate, citrate, or a combination thereof.

22. (currently amended) A method for producing nitric oxide comprising the step:

producing nitric oxide by adding a ~~Ph~~ pH adjuster to a nanoparticle having a diazeniumdiolate functional group.

23. (original) The method of claim 22, wherein the nanoparticle is cellulose, polystyrene, cm cellulose, or chitosan.

24. (currently amended) The method of claim 22, wherein the ~~Ph~~ pH adjuster is phosphate, lactate, citrate, or a combination thereof.

25. (original) The method of claim 22, wherein the nanoparticle is within or attached to an electrospun nanofiber.